

DRYTRAY™



FOOD PRESERVATION TECHNOLOGY

Dehydrator and Freeze Dryer

DRYTRAY INDIA LLP



About Us

DRYTRAY INDIA LLP is a leading manufacturer of electric food dehydrators and freeze dryers based in Bengaluru. We specialize in designing high-performance drying solutions for food processing industries, entrepreneurs, and agricultural businesses.

Our machines are widely used for drying fruits, vegetables, spices, herbs, mushrooms, meat, and more — preserving natural nutrients, flavor, and shelf life with efficiency and hygiene.

Beyond dehydrators and freeze dryers, we also supply a range of food processing and packaging equipment, including slicers, grinders, sealing machines, and packaging machines, enabling businesses to establish complete food preservation and processing setups under one roof.

Driven by innovation and quality, DRYTRAY INDIA LLP is committed to delivering high-performance, durable, and energy-efficient food drying technologies that empower food entrepreneurs, processing units, and agricultural businesses across India to enhance product quality, reduce wastage, and create value-added food products.

DEHYDRATOR

Model: DT-DHD06

Model No. DT-DHD06

Power: 500W (Integrated power consumption: 400W per hour)

Quantity of trays: 6 (Rack gap: 35mm)

Tray size: 30*28 cm

Voltage: 220-240 V/50Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 45-50 decibels

Product size: 34.5*39.5*28.5 cm

Warranty: 1 years

Features:

Double-layer housing

With an inner LED light

With additional 1pc crumb tray

SUS304 trays

SUS201 housing and liner

Aluminium Handle



Model: DT-DHD06

Power: 800W

(Integrated power consumption: 640W per hour)

Quantity of trays: 10 (Rack gap: 30mm)

Tray size: 30*28 cm

Voltage: 220-240 V/50Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 45-50 decibels

Product size: 34.5*39.5*42.7 cm

Features:

Double layer housing

With an inner LED light

With additional 1pc crumb tray

SUS304 trays

SUS201 housing and liner

Aluminium Handle



DEHYDRATOR

Model: DT-DHD12

Power : 1000W (Integrated power consumption: 800W per hr.)

Quantity of trays: 12 (Rack gap: 35mm)

Tray size: 40*38cm

Voltage: 220-240V/50Hz/60Hz 110V/60Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 50-55decibels

Product size: 46.5*57*54.8cm

Features:

Double layer housing

With an inner LED light

With additional 1pc crumb tray

SUS304 trays

SUS201 housing and liner

Aluminium Handle



Model: DT-DHD16

Power: 1500 W

(integrated power consumption: 1200 W per hr.)

Quantity of trays : 16 (Rack gap: 35mm)

Tray size: 40*38 cm

Voltage: 220-240V/50Hz/60Hz 110V/60Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 50-55 decibels

Product size: 46.5*57*54.8cm

Features:

Double-layer housing

With an inner LED light

With additional 1pc crumb tray

SUS304 trays

SUS201 housing and liner

Aluminium Handle



DEHYDRATOR

Model: DT-DHD20

Model: DT-DHD20

Power : 2000W (Integrated power consumption: 1500W per hour)

Quantity of trays: 20 (Rack gap: 35mm)

Tray size: 40*38cm

Voltage: 220-240V/50Hz/60Hz 110V/60Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 50-55decibels

Product size: 46.5*57*82cm (without wheels)

Features:

3 fans in the compartment

Double layer housing

With an inner LED light

With additional 1pc crumb tray

With 4 wheels

SUS304 trays

SUS201 housing and liner

Aluminium Handle



Model: DT-DHD24



Power: 2000W

(Integrated power consumption: 1500W per hour)

Quantity of trays : 24 (Rack gap: 28mm)

Tray size: 40*38cm

Voltage: 220-240V/50Hz/60Hz 110V/60Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 50-55decibels

Product size: 46.5*57*82cm (without wheels)

Features:

3 fans in the compartment

Double layer housing

With an inner LED light

With additional 1pc crumb tray

With 4 wheels

SUS304 trays

SUS201 housing and liner

Aluminium Handle

DEHYDRATOR

Model: DT-DHD32

Power: 3000W (Integrated power consumption: 2400W per hour)

Quantity of trays: 32 (Rack gap: 35mm)

Tray size: 40*38cm

Voltage: 220-240V/50Hz/60Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 50-55decibels

Product size: 46.5*57*132cm (without wheels)

Features:

- 2 Independent compartments
- Double-layer housing
- With an inner LED light
- With additional 2pcs crumb tray
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminium Handle



Model: DT-DHD40

Power: 4000W(Integrated power consumption: 3200W per hour)

Quantity of trays: 40 (Rack gap: 35mm)

Tray size: 40*38cm

Voltage: 220-240V/50Hz/60Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 50-55decibels

Product size: 46.5*57*161.6cm (without wheels)

Features:

- 2 Independent compartments
- Double layer housing
- With an inner LED light
- With 4 wheels
- With additional 2pcs crumb tray
- SUS304 trays
- SUS201 housing and liner
- Aluminium Handle



Model: DT-DHD48

Power : 4000W (Integrated power consumption: 3200W per hour)
Quantity of trays: 48 (Rack gap: 30mm)
Tray size: 40*38cm
Voltage: 220-240V/50Hz/60Hz
Temperature: 30~90°C
Time range: 0-24 hours
Noise level: 50-55decibels
Product size: 46.5*57*161.6cm (without wheels)

Features:

- 2 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminium Handle



Model: DT-DHD80

Power: 6000W
(Integrated power consumption: 5200W per hr.)
Quantity of trays : 96 (Rack gap: 30mm)
Tray size: 40*38cm
Voltage: 220-240V/50Hz/60Hz
Temperature: 30~90°C
Time range: 0-24 hours
Noise level: 50-55 decibels
Product size: 94*57*162.6cm (without wheels)

Features:

- 4 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 4pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminium Handle




DEHYDRATOR

Model: DT-DHD96

Power: 7600W (Integrated power consumption: 6000W per hr.)
 Quantity of trays : 96 (Rack gap: 30mm)
 Tray size: 40*38cm
 Voltage: 220-240V/50Hz/60Hz
 Temperature: 30~90°C
 Time range: 0-24 hours
 Noise level: 50-55decibels
 Product size: 94*57*162.6cm (without wheels)

Features:

- 4 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 4pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminium Handle



Model: DT-DHD108

Power: 7600W
 (Integrated power consumption: 6000W per hr.)
 Quantity of trays : 96 (Rack gap: 30mm)
 Tray size: 40*38cm
 Voltage: 220-240V/50Hz/60Hz
 Temperature: 30~90°C
 Time range: 0-24 hours
 Noise level: 50-55decibels
 Product size: 94*57*162.6cm (without wheels)

Features:

- 4 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 4pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminium Handle

DEHYDRATOR

Model: DT-DHD116

Power : 7600W (Integrated power consumption: 6000W per hr.)

Quantity of trays: 96 (Rack gap: 30mm)

Tray size: 40*38cm

Voltage: 220-240V/50Hz/60Hz

Temperature: 30~90°C

Time range: 0-24 hours

Noise level: 50-55decibels

Product size: 94*57*162.6cm (without wheels)

Features:

4 independent compartments

3 fans for each compartment

Double layer housing

With an inner LED light

With additional 4pcs crumb trays

With 4 wheels

SUS304 trays

SUS201 housing and liner

Aluminium Handle



FREEZE DRYER

Model: DT-DF04

Rated Voltage: 220-240V/50Hz/60Hz/110V/60Hz
 Rated Power: 1500W
 Rated drying Capacity: 4kg
 Tray Size: 20*35.5*2cm
 Tray Qty: 4
 Drying Area: 0.28m²
 Minimum Vacuum Pressure: 15Pa
 Minimum Cold Trap Temperature: -45°C
 Product Size: 44*55*68cm
 Net Weight: 60kg
 Control Method: Digital Control
 Noise Level: 60dB

Features:

Optimized compact design
 SS304 material liner and trays
 High-quality compressor, stable and efficient
 Famous branded vacuum pump, low noise and no oil mist
 Advanced intelligent drying program, easy operation
 High dehydration efficiency, energy saving
 Real time status display
 Clear observation window



Model: DT-DF04

Rated Voltage: 220-240V/50Hz/60Hz/110V/60Hz
 Rated Power: 1700W
 Rated drying Capacity: 4-6kg
 Tray Size: 20*45*2cm
 Tray Qty: 5
 Drying Area: 0.45m²
 Minimum Vacuum Pressure: 15Pa
 Minimum Cold Trap Temperature: -45°C
 Product Size: 48*63.5*73.5cm
 Net Weight: 79kg
 Control Method: Digital Control
 Noise Level: 60dB

Features:

Optimized compact design
 SS304 material liner and trays
 High-quality compressor, stable and efficient
 Famous branded vacuum pump, low noise and no oil mist
 Advanced intelligent drying program, easy operation
 High dehydration efficiency, energy saving
 Real time status display
 Clear observation window



FREEZE DRYER

Model: DT-DFD10

Rated Voltage: 220-240V/50Hz
Rated Power : 2000W
Rated drying Capacity : 10kg
Tray Size: 23*52*2cm
Tray Qty: 6
Drying Area: 0.72m²
Minimum Vacuum Pressure: 15Pa
Minimum Cold Trap Temperature: -45°C
Product Size: 54*70*79.5cm
Net Weight: 97kg
Control Method : Digital Control
Noise Level: 60dB

Features:

Optimized compact design
SS304 material liner and trays
High-quality compressor, stable and efficient
Famous branded vacuum pump, low noise and no oil mist
Advanced intelligent drying program, easy operation
High dehydration efficiency, energy saving
Real time status display
Clear observation window



Model: DT-DFD20

Rated Voltage: 220-240V/50Hz
Rated Power: 3200W
Rated drying Capacity: 20kg
Tray Size: 27.5*75*2cm
Tray Qty: 7
Drying Area: 1.25m²
Minimum Vacuum Pressure: 15Pa
Minimum Cold Trap Temperature: -45°C
Product Size: 62*95*92cm
Net Weight: 120kg
Control Method : Digital Control
Noise Level: 60dB

Features:

Optimized compact design
SS304 material liner and trays
High-quality compressor, stable and efficient
Famous branded vacuum pump, low noise and no oil mist
Advanced intelligent drying program, easy operation
High dehydration efficiency, energy saving
Real time status display
Clear observation window





DRYTRAYTM

DRYTRAY INDIA LLP

📍 # 118/A, Basaveshwara Industrial Estate
Rajgopal Nagar Main Road,
Peenya 2nd Stage, Bengaluru - 560058

☎ +91-88808 08883 | +91-99017 48615

✉ sales@drytrayindia.com | info@drytrayindia.com

🌐 www.drytrayindia.com